

**HD PARAGON**

**WATCH WHAT YOU WANT  
CLOSELY AND SMARTLY**

# “SMART” EVOLUTION IN

## IP SURVEILLANCE



### **HDPARAGON Professional Network Camera Series:**

HDparagon network camera series is packed with “smart” surveillance technologies and superior features to fully meet the needs of the professional IP surveillance market.

**You’ll be amazed at what these cameras can do!**

#### *Discover what’s in:*

- |                    |                                 |                                      |
|--------------------|---------------------------------|--------------------------------------|
| <b>SMART</b> Codec | <b>SMART</b> Region of Interest | <b>SMART</b> Scalable Video Coding   |
| <b>SMART</b> IR    | <b>SMART</b> Audio Detection    | <b>SMART</b> Video Quality Detection |
| <b>SMART</b> Focus | <b>SMART</b> Facial Detection   | <b>SMART</b> Motion Detection        |

Other features: Defog, 60fps frame rate, 120dB WDR, ABF, HLC, Heater, Triple Streaming.

*\*The features vary depending on specific models.*

# PRODUCT GUIDE

*Watch what you want  
Closely and Smartly*

HDS-PTF7286IR-A  
HDS-PT7276IR-A



HDS-PT5286-A  
HDS-PT5276-A

*Newly Added Vari-focal Cameras  
For Even Better Clarity and Focus*



HDS-2612VF-IR3  
HDS-2620VF-IR3  
HDS-2632VF-IR3

HDS-2712VF-IR3  
HDS-2720VF-IR3  
HDS-2732VF-IR3

**HD-TVI Camera Series**

*Get Ready to Roll with*



**HD 720P & HD 1080P**

# HD-TVI CAMERA

**PLUG  
AND  
PLAY**

**Embedded NVR**

*Simplify Your Network Surveillance*





# PTZ DOME CAMERA

## Watch what you want Closely and Smartly Auto-Tracking



HDS-PT5286-A  
HDS-PT5276-A

HDS-PT7286IR-A  
HDS-PT7276IR-A

IP auto tracking



**HDS-PT7286IR-A**  
2MP, 30X Network IR PTZ Dome Camera

- 1080P Full HD, 30X Optical Zoom
- Smart IR, 120m IR distance
- Smart Tracking, Defog
- ROI encoding
- HLC/BLC, 3D DNR, D WDR
- 3D intelligent positioning
- 3-Streams
- IP 66
- 24VAC / High-PoE

IP auto tracking



**HDS-PT7284IR-A**  
2MP, 20X Network IR PTZ Dome Camera

- 1080P Full HD, 20X Optical Zoom
- 120m IR distance
- Smart Tracking
- ROI encoding
- 3D DNR, BLC
- 3D intelligent positioning
- 3-Streams
- IP 66
- 24VAC / High-PoE

IP auto tracking



**HDS-PT5286-A**  
2MP, 30X Network PTZ Dome Camera

- 1080P Full HD, 30X Optical Zoom
- Smart Tracking, Defog
- ROI encoding
- HLC/BLC, 3D DNR, D WDR
- 3D intelligent positioning
- 3-Streams
- IP 66(outdoor models)
- 24VAC / PoE+(IEEE 802.3at)

IP auto tracking



**HDS-PT5284-A**  
2MP, 20X Network PTZ Dome Camera

- 1080P Full HD, 20X Optical Zoom
- Smart Tracking
- ROI encoding
- 3D DNR, BLC
- 3D intelligent positioning
- 3-Streams
- IP 66(outdoor models)
- 24VAC / PoE+(IEEE 802.3at)

IP auto tracking



**HDS-PT7276IR-A**  
1.3MP, 30X Network IR PTZ Dome Camera

- 1280×960 HD, 30X Optical Zoom
- Smart IR, 120m IR distance
- Smart Tracking, Defog
- ROI encoding
- HLC/BLC, 3D DNR, D WDR
- 3D intelligent positioning
- 3-Streams
- IP 66
- 24VAC / High-PoE

IP auto tracking



**HDS-PT7274IR-A**  
1.3MP, 20X Network IR PTZ Dome Camera

- 1280×960 HD, 20X Optical Zoom
- 120m IR distance
- Smart Tracking
- ROI encoding
- 3D DNR, BLC
- 3D intelligent positioning
- 3-Streams
- IP 66
- 24VAC / High-PoE

IP auto tracking



**HDS-PT5276-A**  
1.3MP, 30X Network PTZ Dome Camera

- 1280×960 HD, 30X Optical Zoom
- Smart Tracking, Defog
- ROI encoding
- HLC/BLC, 3D DNR, D WDR
- 3D intelligent positioning
- 3-Streams
- IP 66(outdoor models)
- 24VAC / PoE+(IEEE 802.3at)

IP auto tracking



**HDS-PT5274-A**  
1.3MP, 20X Network PTZ Dome Camera

- 1280×960 HD, 20X Optical Zoom
- Smart Tracking
- ROI encoding
- 3D DNR, BLC
- 3D intelligent positioning
- 3-Streams
- IP 66(outdoor models)
- 24VAC / PoE+(IEEE 802.3at)

auto tracking



**HDS-AT7268IR-A**  
700TVL, 36X Analog IR PTZ Dome Camera

- 700 TVL, 36X Optical Zoom
- 120m IR distance
- Smart Tracking
- 3D DNR, DWDR
- 3D intelligent positioning
- IP 66

auto tracking



**HDS-AT7264IR-A**  
700TVL, 23X Analog IR PTZ Dome Camera

- 700 TVL, 23X Optical Zoom
- 120m IR distance
- Smart Tracking
- 3D DNR, DWDR
- 3D intelligent positioning
- IP 66

auto tracking



**HDS-AT5268/5264-A**  
700TVL, 36X/23X Analog PTZ Dome Camera

- 700 TVL, 36X Optical Zoom
- Smart Tracking
- 3D DNR, DWDR
- 3D intelligent positioning
- IP 66(outdoor models)

Mini PTZ



EMBEDDED INDOOR

**HDS-AF402XN**  
700TVL, 12X Analog PTZ Dome Camera

- 4 inch small size
- 700 TVL, 12X Optical Zoom
- 3D DNR, DWDR
- 3D intelligent positioning
- Indoor or Embedded indoor

## IP PTZ



### HDS-PT7186IR-A 2MP, 30X Network IR PTZ Dome Camera

- 1/2.8" Progressive Scan CMOS
- 1080P Full HD, 30X Optical Zoom
- 100m IR distance
- 3D DNR, D WDR
- 3D intelligent positioning
- IP 66
- 24VAC / High-PoE

## IP PTZ



### HDS-PT7184IR-A 2MP, 20X Network IR PTZ Dome Camera

- 1/2.8" Progressive Scan CMOS
- 1080P Full HD, 20X Optical Zoom
- 100m IR distance
- 3D DNR, D WDR
- 3D intelligent positioning
- IP 66
- 24VAC / High-PoE

## IP PTZ



### HDS-PT5186-A 2MP, 30X Network PTZ Dome Camera

- 1/2.8" Progressive Scan CMOS
- 1080P Full HD, 30X Optical Zoom
- 3D DNR, D WDR
- 3D intelligent positioning
- IP 66(outdoor models)
- 24VAC / PoE+(IEEE 802.3at)

## IP PTZ



### HDS-PT5184-A 2MP, 20X Network PTZ Dome Camera

- 1/2.8" Progressive Scan CMOS
- 1080P Full HD, 20X Optical Zoom
- 3D DNR, D WDR
- 3D intelligent positioning
- IP 66(outdoor models)
- 24VAC / PoE+(IEEE 802.3at)

## IP PTZ



### HDS-PT7176IR-A 1.3MP, 30X Network IR PTZ Dome Camera

- 1/3" Progressive Scan CMOS
- 1280x960 HD, 30X Optical Zoom
- 100m IR distance
- 3D DNR, D WDR
- 3D intelligent positioning
- IP 66
- 24VAC / High-PoE

## IP PTZ



### HDS-PT7174IR-A 1.3MP, 20X Network IR PTZ Dome Camera

- 1/3" Progressive Scan CMOS
- 1280x960 HD, 20X Optical Zoom
- 100m IR distance
- 3D DNR, D WDR
- 3D intelligent positioning
- IP 66
- 24VAC / High-PoE

## IP PTZ



### HDS-PT5176-A 2MP, 20X Network PTZ Dome Camera

- 1/3" Progressive Scan CMOS
- 1280x960 HD, 30X Optical Zoom
- 3D DNR, D WDR
- 3D intelligent positioning
- IP 66(outdoor models)
- 24VAC / PoE+(IEEE 802.3at)

## IP PTZ



### HDS-PT5174-A 1.3MP, 20X Network PTZ Dome Camera

- 1/3" Progressive Scan CMOS
- 1280x960 HD, 20X Optical Zoom
- 3D DNR, D WDR
- 3D intelligent positioning
- IP 66(outdoor models)
- 24VAC / PoE+(IEEE 802.3at)

## Mini PTZ



DAY/NIGHT PTZ IR PTZ

### HDS-PT403H-DN (IR) 2MP, 4X Network mini PTZ Dome Camera

- 1/2.8" Progressive Scan CMOS
- 1080P Full HD, 4X Optical Zoom
- 3D DNR, D WDR
- 3D intelligent positioning
- IP 66
- 24VAC / High-PoE

## Analog PTZ



### HDS-AE7168IR-A 700TVL, 36X Analog IR PTZ Dome Camera

- 700 TVL, 36X / 23X Optical Zoom
- 100m IR distance
- 3D DNR, DWDR
- 3D intelligent positioning
- IP 66

## Analog PTZ



### HDS-AE7164IR-A 700TVL, 23X Analog IR PTZ Dome Camera

- 700 TVL, 36X / 23X Optical Zoom
- 100m IR distance
- 3D DNR, DWDR
- 3D intelligent positioning
- IP 66

## Analog PTZ



### HDS-AE5168/5164-A 700TVL, 36X/23X Analog PTZ Dome Camera

- 700 TVL, 23X Optical Zoom
- 3D DNR, DWDR
- 3D intelligent positioning
- IP 66(outdoor models)

## WDR IP PTZ



### HDS-PT7283IR-A 2MP WDR Network IR PTZ Dome Camera

- 1/2.8" Progressive Scan CMOS
- 1080P Full HD, 20X Optical Zoom
- WDR
- 120m IR distance
- 3D DNR, ROI
- 3D intelligent positioning
- IP 66

## WDR IP PTZ



### HDS-PT5283-A 2MP WDR Network PTZ Dome Camera

- 1/2.8" Progressive Scan CMOS
- 1080P Full HD, 20X Optical Zoom
- WDR
- 3D DNR, ROI
- 3D intelligent positioning
- IP 66

## WDR IP PTZ



### HDS-PT727IR-A 1MP WDR Network IR PTZ Dome Camera

- 1/3" Progressive Scan CCD
- 1280x720 HD, 18X Optical Zoom
- WDR
- 120m IR distance
- 3D DNR, ROI
- 3D intelligent positioning
- IP 66

## WDR IP PTZ



### HDS-PT527IR-A 1MP WDR Network PTZ Dome Camera

- 1/3" Progressive Scan CCD
- 1280x720 HD, 18X Optical Zoom
- WDR
- 3D DNR, ROI
- 3D intelligent positioning
- IP 66

## WDR IP PTZ



### HDS-PT717/715IR-A WDR Network IR PTZ Dome Camera

- 1/4" Sony EXview HAD CCD
- Standard definition, 36X / 28X Optical Zoom
- 80m IR distance
- WDR
- 3D DNR
- 3D intelligent positioning
- IP 66

## WDR IP PTZ



### HDS-PT517/515IR-A WDR Network PTZ Dome Camera

- 1/4" Sony EXview HAD CCD
- Standard definition, 36X / 28X Optical Zoom
- WDR
- 3D DNR
- 3D intelligent positioning
- IP 66

## WDR PTZ



### HDS-AT718/716IR-A WDR Analog IR PTZ Dome Camera

- 1/4" Sony EXview HAD CCD
- 540 TVL, 36X / 28X Optical Zoom
- 80m IR distance
- WDR
- 3D DNR
- 3D intelligent positioning
- IP 66

## WDR PTZ



### HDS-AT516/514-A WDR Analog PTZ Dome Camera

- 1/4" Sony EXview HAD CCD
- 540 TVL, 36X / 28X Optical Zoom
- WDR
- 3D DNR
- 3D intelligent positioning
- IP 66



# NETWORK CAMERA

New Network Camera series

## Newly Added Vari-focal Cameras For Even Better Clarity and Focus

HDS-2712VF-IR3  
HDS-2720VF-IR3  
HDS-2732VF-IR3



HDS-2612VF-IR3  
HDS-2620VF-IR3  
HDS-2632VF-IR3

**HOT**

**HOT**

**EXiR**

**EXiR**



**HDS-2012IRP (1.3MP)**  
**HDS-2032IRP (3.0MP)**

IR Mini Bullet Camera

- HD real-time video
- Up to 30m IR visibility
- 0 Lux with IR
- IP66
- 3D DNR, DWDR, BLC



**HDS-2112IRP (1.3MP)**  
**HDS-2132IRP (3.0MP)**

IR Fix Dome Camera

- HD real-time video
- Up to 30m IR visibility
- IP66
- 3D DNR, DWDR, BLC
- Vandal-proof



**HDS-2212IRP5 (1.3MP)**  
**HDS-2232IRP5 (3.0MP)**

EXiR Bullet Camera

- HD real-time video
- EXiR: up to 50m visibility
- IP66
- 3D DNR, DWDR, BLC



**HDS-2312IRP3 (1.3MP)**  
**HDS-2332IRP3 (3.0MP)**

EXiR Bullet Camera

- HD real-time video
- EXiR: up to 30m visibility
- IP66
- 3D DNR, DWDR, BLC

**HOT**

**HOT**

**HOT**

**HOT**



**HDS-2612VF-IR3 (1.3MP)**  
**HDS-2620VF-IR3 (2.0MP)**  
**HDS-2632VF-IR3 (3.0MP)**

Vari-focal IR Bullet Camera

- HD real-time video
- Up to 30m IR visibility
- Vari-focal lens, 3D DNR, DWDR, BLC
- SD/SDHC/SDXC Card Slot (up to 64GB)
- IP66 & Vandal-proof
- (Optional) Audio I/O, Alarm I/O



**HDS-2712VF-IR3 (1.3MP)**  
**HDS-2720VF-IR3 (2.0MP)**  
**HDS-2732VF-IR3 (3.0MP)**

Vari-focal IR Dome Camera

- HD real-time video
- Up to 30m IR visibility
- Vari-focal lens, 3D DNR, DWDR, BLC
- SD/SDHC/SDXC Card Slot (up to 64GB)
- IP66 & Vandal-proof
- (Optional) Audio I/O, Alarm I/O



**HDS-2412IRP(W) (1.3MP)**  
**HDS-2432IRP(W) (3.0MP)**

IR Cube Camera

- HD real-time video
- Up to 10m IR visibility
- PIR
- 3D DNR, DWDR, BLC
- SD/SDHC/SDXC Card Slot (up to 64GB)
- Audio I/O, Alarm I/O
- Wi-Fi optional



**HDS-2512IRP(W) (1.3MP)**  
**HDS-2532IRP(W) (3.0MP)**

IR Mini Dome Camera

- HD real-time video
- Up to 10m IR visibility
- 3D DNR, DWDR, BLC
- SD/SDHC/SDXC Card Slot (up to 64GB)
- IP66
- Audio I/O, Alarm I/O
- (-W) Wi-Fi optional

# SMART BOX CAMERA



## HDS-8412BX

1.3MP Low-light Box Camera

- HD720p (1280x1024) real-time video
- 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8412BXW

1.3MP WDR Box Camera

- HD720p (1280x960) real-time video
- 120dB WDR, 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8424BX(A)

2MP Full HD Box Camera

- HD1080p (1920x1080) real-time video
- 3D DNR, DWDR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot
- (-A) ABF function



## HDS-8432BX(W)

3MP WDR Box Camera

- HD1080p (2048x1536) real-time video
- 120dB WDR, 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot
- (-W) ABF function + WDR

# SMART INDOOR VARI-FOCAL IR DOME CAMERA



## HDS-8512VF-IR

1.3MP Low-light Indoor Dome Camera

- HD720p (1280x1024) real-time video
- 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8512VW-IR

1.3MP WDR Indoor Dome Camera

- HD720p (1280x960) real-time video
- 120dB WDR, 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8524VF-IR

2MP Full HD Indoor Dome Camera

- HD1080p (1920x1080) real-time video
- 120dB WDR, 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8532VW-IR

3MP WDR Indoor Dome Camera

- HD1080p (2048x1536) real-time video
- 120dB WDR, 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot

# SMART VARI-FOCAL IR BULLET CAMERA



## HDS-8612VF-IR

1.3MP Low-light IR Bullet Camera


- HD720p (1280x1024) real-time video
- 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8612VW-IR

1.3MP WDR IR Bullet Camera


- HD720p (1280x960) real-time video
- 120dB WDR, 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8624VF-IR

2MP Full HD IR Bullet Camera

- HD1080p (1920x1080) real-time video
- 3D DNR, DWDR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8632VW-IR

3MP WDR IR Bullet Camera

- HD1080p (2048x1536) real-time video
- 120dB WDR, 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot

# SMART OUTDOOR VANDAL PROOF IR DOME



## HDS-8712VF-IR

1.3MP Low-light Outdoor Dome Camera

- HD720p (1280x1024) real-time video
- 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8712VW-IR

1.3MP WDR Outdoor Dome Camera

- HD720p (1280x960) real-time video
- 120dB WDR, 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8724VF-IR

2MP Full HD Outdoor Dome Camera

- HD1080p (1920x1080) real-time video
- 3D DNR, DWDR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot



## HDS-8732VW-IR

3MP WDR Outdoor Dome Camera

- HD1080p (2048x1536) real-time video
- 120dB WDR, 3D DNR
- True Day/night
- Smart Codec
- Smart functions
- Audio I/O, Alarm I/O
- SD/SDHC card slot

# ALARM CUBE



## HDS-P8464F-EW

1.3MP Alarm Pro Cube

- HD real-time video
- 3D DNR
- Wi-Fi
- SD/SDHC Card Slot
- Remote alarm transceiver

# PAN TILT



## HDS-PT2010IRPW

1MP IR Pan Tilt Camera

- HD real-time video
- 3D DNR, Wi-Fi
- SD/SDHC Card Slot
- Support pan tilt
- Two-way audio
- Intelligent alarming function

# FISH-EYE 360°



## HDS-780FE360P

3MP WDR Fisheye Network Camera

- HD real-time video
- Up to 2048 x 1536 real-time streaming
- 360° view angle, panoramic view
- Multiple viewing modes
- Multiple ePTZ

# PINHOLE COVERT



## HDS-6412PIN-10(20)

1.3MP WDR Pinhole Covert Network Camera

- HD real-time video
- 120dB WDR
- ROI codec
- Onboard storage, up to 64GB
- Audio/Alarm I/O



# HD-TVI & ANALOG CAMERA

## HD-TVI Camera Series

Get Ready to Roll with

HD 720P & HD 1080P

# HD-TVI CAMERA

Total "3-in-1" HD-TVI solution:

HD-TVI, Analog and IP camera

Long-range video transmission



HD 720P	HD 720P	HD 720P EXiR	HD 720P EXiR
 <p><b>HDS-1882TVI-IR</b> Turbo HD 720P IR Bullet Camera</p> <ul style="list-style-type: none"> <li>• Full HD 720P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR</li> <li>• Superior video image output and ultra low light illumination</li> <li>• 20m IR Distance. IP66</li> </ul>	 <p><b>HDS-5882TVI-IR</b> Turbo HD 720P IR Dome Camera</p> <ul style="list-style-type: none"> <li>• Full HD 720P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR</li> <li>• Superior video image output and ultra low light illumination</li> <li>• 20m IR Distance</li> </ul>	 <p><b>HDS-1882TVI-IR3</b> Turbo HD 720P EXiR Bullet Camera</p> <ul style="list-style-type: none"> <li>• Full HD 720P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 40m IR Distance. IP66</li> </ul>	 <p><b>HDS-5882TVI-IR3</b> Turbo HD 720P EXiR Dome Camera</p> <ul style="list-style-type: none"> <li>• Full HD 720P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 40m IR Distance. IP66</li> </ul>
HD 720P EXiR	HD 720P	HD 720P	HD 720P EXiR
 <p><b>HDS-1882TVI-IR5</b> Turbo HD 720P EXiR Bullet Camera</p> <ul style="list-style-type: none"> <li>• Full HD 720P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 80m IR Distance. IP66</li> </ul>	 <p><b>HDS-5882TVI-IRM</b> Turbo HD 720P IR Dome Camera</p> <ul style="list-style-type: none"> <li>• Full HD 720P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR</li> <li>• Superior video image output and ultra low light illumination</li> <li>• 20m IR Distance</li> </ul>	 <p><b>HDS-1882TVI-VFIR3</b> Turbo HD 720P Vari-focal IR Bullet Camera</p> <ul style="list-style-type: none"> <li>• Full HD 720P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 40m IR Distance. IP66</li> </ul>	 <p><b>HDS-5882TVI-VFIR3</b> Turbo HD 720P Vari-focal EXiR Dome Camera</p> <ul style="list-style-type: none"> <li>• Full HD 720P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 50m IR Distance. IP66</li> </ul>
HD 720P EXiR	HD 1080P	HD 1080P	HD 1080P EXiR
 <p><b>HDS-5882TVI-VFIT3</b> Turbo HD 720P Vandal Proof EXiR Dome Camera</p> <ul style="list-style-type: none"> <li>• Full HD 720P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 40m IR Distance. IP66</li> </ul>	 <p><b>HDS-1885TVI-IR</b> Turbo HD 1080P IR Bullet Camera</p> <ul style="list-style-type: none"> <li>• Full HD 1080P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• 20m IR Distance. IP66</li> </ul>	 <p><b>HDS-5885TVI-IRM</b> Turbo HD 1080P IR Metal Dome Camera</p> <ul style="list-style-type: none"> <li>• Full HD 1080P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• 20m IR Distance</li> </ul>	 <p><b>HDS-1885TVI-IR3</b> Turbo HD 1080P EXiR Bullet Camera</p> <ul style="list-style-type: none"> <li>• Full HD 1080P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 40m IR Distance. IP66</li> </ul>

<p><b>HD 1080P</b>      <b>EXiR</b></p>  <p><b>HDS-5885TVI-IR3</b> Turbo HD 1080P EXiR Dome Camera</p> <ul style="list-style-type: none"> <li>• Full HD 1080P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 40m IR Distance. IP66</li> </ul>	<p><b>HD 1080P</b>      <b>EXiR</b></p>  <p><b>HDS-1885TVI-IR5</b> Turbo HD 1080P EXiR Bullet Camera</p> <ul style="list-style-type: none"> <li>• Full HD 1080P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 80m IR Distance. IP66</li> </ul>	<p><b>HD 1080P</b>      <b>EXiR</b></p>  <p><b>HDS-1885TVI-VFIR3</b> Turbo HD 1080P Vari-focal IR Bullet Camera</p> <ul style="list-style-type: none"> <li>• Full HD 1080P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 50m IR Distance. IP66</li> </ul>	<p><b>HD 1080P</b>      <b>EXiR</b></p>  <p><b>HDS-5885TVI-VFIR3</b> Turbo HD 1080P Vari-focal EXiR Dome Camera</p> <ul style="list-style-type: none"> <li>• Full HD 1080P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 50m IR Distance. IP66</li> </ul>
<p><b>HD 1080P</b></p>  <p><b>HDS-5885TVI-VFIT3</b> Turbo HD 1080P Vandal Proof EXiR Dome Camera</p> <ul style="list-style-type: none"> <li>• Full HD 1080P video output</li> <li>• Adopt HD TVI technology</li> <li>• True day / night</li> <li>• Smart IR, high dynamic range, OSD menu</li> <li>• Superior video image output and ultra low light illumination</li> <li>• EXiR technology, 40m IR Distance. IP66</li> </ul>	<p><b>720 TVL</b></p>  <p><b>HDS-1785P-IR</b> 720 TVL PICADIS Outdoor IR Bullet Camera</p> <ul style="list-style-type: none"> <li>• 1/3" PICADIS</li> <li>• 720 TVL Horizontal Resolution</li> <li>• True Day/Night</li> <li>• 3.6/6mm Fixed Lens, 0.1 lux /F1.2</li> <li>• 20m IR Distance</li> </ul>	<p><b>720 TVL</b></p>  <p><b>HDS-5785P-IR</b> 720 TVL PICADIS Outdoor IR Dome Camera</p> <ul style="list-style-type: none"> <li>• 1/3" PICADIS</li> <li>• 720 TVL Horizontal Resolution</li> <li>• True Day/Night</li> <li>• 3.6/6mm Fixed Lens, 0.1 lux /F1.2</li> <li>• 20m IR Distance</li> </ul>	<p><b>700 TVL</b></p>  <p><b>HDS-1782P-IR</b> 700 TVL Outdoor IR Bullet Camera</p> <ul style="list-style-type: none"> <li>• 1/3" DIS</li> <li>• 700 TVL Horizontal Resolution</li> <li>• True Day/Night</li> <li>• 2.8/3.6/6mm Fixed Lens, 0.1 lux /F1.2</li> <li>• 20m IR Distance</li> </ul>
<p><b>700 TVL</b></p>  <p><b>HDS-5782P-IR</b> 700 TVL Outdoor IR Bullet Camera</p> <ul style="list-style-type: none"> <li>• 1/3" DIS</li> <li>• 700 TVL Horizontal Resolution</li> <li>• True Day/Night</li> <li>• 2.8/3.6/6mm Fixed Lens, 0.1 lux /F1.2</li> <li>• 20m IR Distance</li> </ul>	<p><b>720 TVL</b>      <b>EXiR</b></p>  <p><b>HDS-1785P-IR3/IR5</b> 720TVL PICADIS EXiR Outdoor Bullet Camera</p> <ul style="list-style-type: none"> <li>• 1/3" PICADIS</li> <li>• True Day/Night</li> <li>• 0.1 lux /F1.2</li> <li>• Smart IR, high dynamic range</li> <li>• Superior video image output and ultra low light illumination</li> <li>• 40m/80m IR Distance</li> </ul>	<p><b>720 TVL</b>      <b>EXiR</b></p>  <p><b>HDS-5785P-IR3</b> 720TVL PICADIS EXiR Outdoor Dome Camera</p> <ul style="list-style-type: none"> <li>• 1/3" PICADIS</li> <li>• True Day/Night</li> <li>• 0.1 lux /F1.2</li> <li>• Smart IR, high dynamic range</li> <li>• Superior video image output and ultra low light illumination</li> <li>• 40m IR Distance</li> </ul>	<p><b>720 TVL</b></p>  <p><b>HDS-1785P-VFIR3</b> 720TVL PICADIS Vari-focal IR Outdoor Bullet</p> <ul style="list-style-type: none"> <li>• 1/3" PICADIS</li> <li>• True Day/Night</li> <li>• 2.8 ~ 12mm vari-focal lens</li> <li>• 40m IR distance</li> <li>• Smart IR, high dynamic range</li> </ul>
<p><b>720 TVL</b></p>  <p><b>HDS-5785P-VFIR3</b> 720TVL PICADIS Vari-focal IR Outdoor Dome</p> <ul style="list-style-type: none"> <li>• 1/3" PICADIS</li> <li>• True Day/Night</li> <li>• 2.8 ~ 12mm vari-focal lens</li> <li>• 40m IR distance</li> <li>• Smart IR, high dynamic range</li> </ul>	<p><b>700 TVL</b>      <b>EXiR</b></p>  <p><b>HDS-1782P-IR3/IR5</b> 700TVL EXiR Outdoor Bullet Camera</p> <ul style="list-style-type: none"> <li>• 1/3" DIS</li> <li>• True Day/Night</li> <li>• 0.1 lux /F1.2</li> <li>• Smart IR</li> <li>• 40m/80m IR Distance</li> </ul>	<p><b>700 TVL</b>      <b>EXiR</b></p>  <p><b>HDS-5782P-IR3</b> 700TVL EXiR Outdoor Dome Camera</p> <ul style="list-style-type: none"> <li>• 1/3" DIS</li> <li>• True Day/Night</li> <li>• 0.1 lux /F1.2</li> <li>• Smart IR</li> <li>• 40m IR Distance</li> </ul>	<p><b>700 TVL</b></p>  <p><b>HDS-1782P-VFIR3</b> 700TVL DIS Vari-focal IR Outdoor Bullet Camera</p> <ul style="list-style-type: none"> <li>• 1/3" DIS</li> <li>• True Day/Night</li> <li>• 2.8 ~ 12mm vari-focal lens</li> <li>• 40m IR distance</li> </ul>
<p><b>700 TVL</b></p>  <p><b>HDS-5782P-VFIR3</b> 700TVL DIS Vari-focal IR Outdoor Dome Camera</p> <ul style="list-style-type: none"> <li>• 1/3" DIS</li> <li>• True Day/Night</li> <li>• 2.8 ~ 12mm vari-focal lens</li> <li>• 40m IR distance</li> </ul>	<p><b>700 TVL</b></p>  <p><b>HDS-1782P-WBX</b> 700 TVL High Definition Box Camera</p> <ul style="list-style-type: none"> <li>• 1/3" SONY CCD</li> <li>• True Day/Night</li> <li>• OSD Menu</li> <li>• DNR, Digital WDR, EIS</li> <li>• 12 VDC / 24 VAC</li> </ul>	<p><b>700 TVL</b></p>  <p><b>HDS-52A1P-AVPIR2</b> 700 TVL Vandal proof IR Dome Camera</p> <ul style="list-style-type: none"> <li>• 1/3" SONY CCD</li> <li>• True Day/Night</li> <li>• 2.8 ~ 12mm Vari-focal Lens</li> <li>• OSD Menu, DNR, Smart IR, Digital WDR, Eclipse</li> <li>• 30m IR Distance</li> <li>• IP66 Weatherproof</li> </ul>	<p><b>700 TVL</b></p>  <p><b>HDS-12A1P-VFIR3</b> 700 TVL IR Bullet Camera</p> <ul style="list-style-type: none"> <li>• 1/3" SONY CCD</li> <li>• True Day/Night (DS-2CC1281/12A1P(N)-AVFIR3)</li> <li>• 2.8 ~ 12mm Vari-focal Lens</li> <li>• OSD Menu, DNR, Smart IR, Digital WDR, Eclipse</li> <li>• 40m IR Distance</li> <li>• 12 VDC / 24 VAC (DS-2CC1281/12A1P(N)-AVFIR3)</li> <li>• IP66 Weatherproof</li> </ul>



# NVR & DVR

## PLUG AND PLAY

### Embedded NVR *Simplify Your Network Surveillance*



**HOT**  
NVR



#### HDS-N7604/08/16I-POE

Embedded PoE 1U NVR

- 20/40/80Mbps Bit Rate Input Max(up to 4/8/16-ch IP video)
- Third-party network cameras supported
- Up to 5 Megapixels resolution recording
- HDMI and VGA output at up to 1920×1080P resolution
- 4/8 independent PoE network interfaces
- 2 SATA, 2 USB2.0

**HOT**  
DVR



#### HDS-7204/08/16HVI-HDMI

960H Entry-level 1U DVR

- 4/8/16-ch video&1-ch audio input
- H.264 & Dual-stream video compression
- Full channel@CIF real-time and up to WD1 resolution recording
- HDMI and VGA output at up to 1920×1080P resolution
- HDD quota and group management
- Front panel, audio input and alarm I/O optional
- 1 SATA, 2 USB2.0

**HOT**  
DVR



#### HDS-7204/08/16HFW-HDMI

Full 960H Entry-level 1U DVR

- 4/8/16-ch video&1-ch audio input
- H.264 & Dual-stream video compression
- Full channel@WD1(PAL:960×576,NTSC:960×480) resolution real-time recording
- HDMI and VGA output at up to 1920×1080P resolution
- HDD quota and group management
- Front panel, audio input and alarm I/O optional
- 1 SATA(DS-7204HWI-SH)/2 SATA(DS-7208/016HWI-SH), 2 USB2.0

**HOT**  
HD-TVI



#### HDS-7204/08/16TVI-HDMI

Turbo HD-TVI 1U DVR

- 4/8/16-ch video&1-ch audio input
- H.264 & Dual-stream video compression
- Support both HD-TVI and analog cameras with adaptive access
- HDMI and VGA output at up to 1920×1080P resolution
- HDD quota and group management
- Long transmission distance over coax cable
- Support up to 16-ch synchronous playback at 1080P resolution

**HOT**  
HD-TVI



#### HDS-7204/08/16FTVI-HDMI

Turbo HD-TVI 1U DVR

- 4/8-ch video&1-ch audio input with front panel
- H.264 & Dual-stream video compression
- Support both HD-TVI and analog cameras with adaptive access
- Full channel@1080P resolution real-time recording
- HDMI and VGA output at up to 1920×1080P resolution
- HDD quota and group management
- Long transmission distance over coax cable
- Support up to 8-ch synchronous playback at 1080P resolution

**NVR**



#### HDS-N9532I-SN(-RT)

Embedded 2U NVR

- 160Mbps Bit Rate Input Max(up to 32-ch IP video)
- Third-party network cameras supported
- Up to 5 Megapixels resolution recording
- None local output interface
- Dual Gigabit network interfaces
- 8 SATA, 1 eSATA, 3 USB2.0
- \*-RT series support RAID0, 1, 5, 10

**NVR**




#### HDS-N7716/32I-ST(POE)

Embedded 1.5U PoE NVR

- 80/160Mbps Bit Rate Input Max(up to 16/32-ch IP video)
- Third-party network cameras supported
- Up to 5 Megapixels resolution recording
- HDMI and VGA output at up to 1920×1080P resolution
- 4 SATA, 3 USB2.0
- \*-POE series support 16 independent PoE network interfaces

**NVR**



#### HDS-N7616I-ST/POE

Embedded 1U PoE NVR

- 80Mbps Bit Rate Input Max(up to 16-ch IP video)
- Third-party network cameras supported
- Up to 5 Megapixels resolution recording
- HDMI, VGA output at up to 1920×1080P resolution, and CVBS output.
- 2 SATA, 3 USB2.0
- \*-POE series support 8 independent PoE network interfaces

**NVR**



#### HDS-N7604/08/16I-SE

Embedded 1U NVR

- 20/40/80Mbps Bit Rate Input Max(up to 4/8/16-ch IP video)
- Third-party network cameras supported
- Up to 5 Megapixels resolution recording
- HDMI and VGA output at up to 1920×1080P resolution
- 1 SATA(HDS-N7604I-SE)/2 SATA(HDS-N7608/16I-SE), 2 USB2.0



# NVR

## HDS-N7604/08/16I-VE(VP)

### Embedded 1U PoE Vertical NVR

- 20/40/80Mbps Bit Rate Input Max(up to 4/8/16-ch IP video)
- Third-party network cameras supported
- Vertical design for easy HDD installation and HDD hot-swap supported
- HDMI and VGA output at up to 1920×1080P resolution
- 2 SATA, 2 USB2.0
- \*-VP series support 4 independent PoE network interfaces

# DVR



## HDS-7404/08/16HFI/HFW-HDMI(RT)

### Full 4CIF/960H 2U DVR

- 4/8/16-ch video&audio input
- H.264 & Dual-stream video compression
- Full channel@4CIF real-time recording(HFI series)
- Full channel@WD1 resolution real-time recording(HFW series)
- HDMI and VGA output at up to 1920×1080P resolution
- Dual Gigabit network interfaces
- 8 SATA, 1 eSATA, 3 USB2.0
- \*-RT series support RAID0, 1, 5, 10

# DVR



## HDS-7304/08/16/24/32CFI/HFI-HDMI

### Full 4CIF/960H 1.5U DVR

- 4/8/16/24/32-ch video&audio input
- H.264 & Dual-stream video compression
- Full channel@4CIF 15fps/channel resolution recording(CFI series)
- Full channel@4CIF 25fps/channel resolution recording(HFI series)
- HDMI and VGA output at up to 1920×1080P resolution
- Gigabit network interfaces
- 4 SATA, 1 eSATA, 3 USB2.0

# NVR



## HDS-N9632/64I-SH(-RT)

### Embedded 2U NVR

- 160Mbps Bit Rate Input Max(up to 32/64-ch IP video)
- Third-party network cameras supported
- Up to 5 Megapixels resolution recording
- HDMI and VGA output at up to 1920×1080P resolution
- Dual Gigabit network interfaces
- 8 SATA, 1 eSATA, 3 USB2.0
- \*-RT series support RAID0, 1, 5, 10

# HYBRID DVR



## HDS-H9004/08/16HFI-SH(RT)

### Full 4CIF 2U Hybrid DVR

- Up to 8/16/32-ch (Analog video + IP video) input
- H.264 & Dual-stream video compression
- Full channel@4CIF real-time analog video recording
- Up to 5 Megapixels resolution IP video recording
- Third-party network cameras supported
- HDMI and VGA output at up to 1920×1080P resolution
- 8 SATA, 1 eSATA, 3 USB2.0
- \*-RT series support RAID0, 1, 5, 10

# HYBRID DVR



## HDS-H8004/08/16HFI-SH

### Full 4CIF 2U Hybrid DVR

- Up to 8/16/32-ch (Analog video + IP video) input
- H.264 & Dual-stream video compression
- Full channel@4CIF real-time analog video recording
- Up to 5 Megapixels resolution IP video recording
- Third-party network cameras supported
- HDMI output at up to 1920×1080P resolution
- 8 SATA, 1 eSATA, 3 USB2.0

# HYBRID DVR



## HDS-H7604/08/16HFW-ST

### 960H 1U Hybrid DVR

- Up to 8/16/32-ch (Analog video + IP video) input
- H.264 & Dual-stream video compression
- Full channel@960H analog video recording
- Up to 5 Megapixels resolution IP video recording
- Third-party network cameras supported
- HDMI output at up to 1920×1080P resolution
- 1 SATA(HDS-H7604HFW-ST)/2 SATA(HDS-H7608/16HFW-ST), 2 USB2.0

# HD-SDI DVR



## HDS-7404/08/16HD-ST

### 1080P HD-SDI 2U DVR

- 4/8/16-ch HD-SDI video&audio input
- H.264 & Dual-stream video compression
- 1920×1080P resolution real-time recording
- HDMI and VGA output at up to 1920×1080P resolution
- Dual Gigabit network interfaces
- HDD quota and group management
- 8 SATA, 1 eSATA, 3 USB2.0

# HD-SDI DVR



## HDS-7304/08/16HD-ST

### 1080P HD-SDI 1.5U DVR

- 4/8/16-ch HD-SDI video&audio input
- H.264 & Dual-stream video compression
- 1920×1080P resolution real-time recording
- HDMI and VGA output at up to 1920×1080P resolution
- Gigabit network interfaces
- HDD quota and group management
- 4 SATA, 1 eSATA, 3 USB2.0

# NVR



## HDS-N9632/64I-XH

### Embedded 32/64 NVR with 16 SATA

- 160Mbps Bit Rate Input Max(up to 32/64-ch IP video)
- Third-party network cameras supported
- Up to 5 Megapixels resolution recording
- HDMI and VGA output at up to 1920×1080P resolution
- Support RAID0, 1, 5, 10
- Dual Gigabit network interfaces
- 16 SATA, 1 eSATA, 3 USB2.0

# NVR



## HDS-N97128I-16HD(/H)

## HDS-N97128I-24HD(/H)

### Embedded 128-ch NVR with 16/24 SATA

- 400Mbps Bit Rate Input Max(up to 128-ch IP video)
- Third-party network cameras supported
- Up to 5 Megapixels resolution recording
- 2 HDMI and 1 VGA output at up to 1920×1080P resolution
- Support RAID0, 1, 5, 10
- 4 Gigabit network interfaces, 4 optic fiber interfaces
- 16/24 SATA, 1 eSATA, 4 USB2.0
- (/H): 6 HDMI interfaces



# NVR



## HDS-N97256I-16HD(/H)

## HDS-N97256I-24HD(/H)

### Embedded 256-ch NVR with 16/24 SATA

- 640Mbps Bit Rate Input Max(up to 128-ch IP video)
- Third-party network cameras supported
- Up to 5 Megapixels resolution recording
- 2 HDMI and 1 VGA output at up to 1920×1080P resolution
- Support RAID0, 1, 5, 10
- 4 Gigabit network interfaces, 4 optic fiber interfaces
- 16/24 SATA, 1 eSATA, 4 USB2.0
- (/H): 6 HDMI interfaces



# decoder



## HDS-D6504/08HDI-ST

### Decoder

- Up to 8-ch 4CIF/4-ch 720P video stream decode
- H.264 and MPEG4 video stream supported
- Up to 1280×720P resolution decoding
- Up to 4-ch VGA and 8-ch BNC outputs
- SADP(IP Finder),UDP, RTP and NTP protocols
- Compatible with encoders from multiple manufacturers

# encoder



## HDS-E6600HFI-JX

### ATCA Standard Encoder

- Up to 64-ch video&audio input
- H.264/MPEG4/MPEG2/MJPEG & Dual-stream video encoding
- 16 slots available for audio/video output modules (HDS-E6604HFI-B)
- Each HDS-E6604HFI-B module provides 4-ch audio/video inputs
- Full channel@4CIF resolution real-time recording
- Standard rack-mounted chassis structure (6U 19")
- Pluggable modular design provides high flexibility

# decoder



## HDS-D6401/04/08HDI-ST

### High Definition Decoder

- Up to 8-ch 5MP/8-ch 1080P/16-ch 720P/32-ch 4CIF video stream decode
- H.264 and MPEG4 video stream supported
- Up to 5 Megapixels resolution decoding
- HDMI and VGA output at up to 1920×1080P resolution
- SADP(IP Finder),UDP, RTP and NTP protocols
- Video display on TV wall
- 32 users with multi-user level management

# mobile dvr



## HDS-M8106-3G/HD Mobile DVR

- H.264 video compression
- Up to 4CIF resolution recording
- 2x2.5-inch SATA interfaces
- Patented hard disk vibration-proof and bracing technology
- Built-in 3G (WCDMA/cdma2000) module (optional)
- Built-in GPS module

# mobile dvr



## HDS-M8104-3G/SD Mobile DVR

- H.264 video compression
- Support up to two 32GB SD/SDHC card local storage
- Up to 4CIF resolution recording
- Built-in 3G (WCDMA/cdma2000) module
- Built-in high-sensitivity GPS module
- Various interfaces, USB 2.0

# mobile dvr



## HDS-M8100IP-3G/HD Mobile Hybrid DVR

- H.264 video compression
- 2x2.5" pluggable SATA HDD/SSD
- Power-off protection and redundant power supply
- Built-in 3G (WCDMA/cdma2000) module
- Built-in high-sensitivity GPS module
- Various interfaces
- Up to 4-ch IP video input at 1.3MP resolution

# explosion proof PTZ



## HDS-EX8236DN

### 36X explosion proof IR PTZ

- Explosion proof level: ExdIICT6/DIP A20 TA, T6
- 36X optical zoom f=3.4~122.4mm, 12X digital
- Resolution: 550TVL (color), 570TVL(B/W)
- Min. Illumination: 0.65lux (F1.35, 50IRE)
- Night vision up to 100m with IR
- Electro-polished stainless steel material
- Anti-surge, lightning protection, IP67 waterproof

# vehicle PTZ



## HDS-VT8223IR-A

### 23X vehicle IR PTZ

- 23X optical zoom, F1.6-2.4, f=3.5-80.9mm
- 16X digital (OFF/ON), 520 TVL (Color) / 570TVL (B/W)
- 0.6 lux F1.6 (color), 0.1 lux F1.6, 0 lux (B/W)
- IR effective range up to 100M. IR Cut Filter removable
- Double windows and anti-fog design, built-in temperature control circuit and IP66. Built-in tempered glass, high-intensity aluminum alloy, hi-impact, anti-cauterization, vibration proof

# vehicle PTZ



## HDS-VT8237IR-A

### 37X vehicle IR PTZ

- 37X optical zoom, F1.6-3.9, f=3.5-129.5mm
- 16X digital (OFF/ON), 520 TVL (Color) / 570TVL (B/W)
- 0.7 lux F1.6 (color), 0.001 lux F1.6, 0 lux (B/W)
- IR effective range up to 100M. IR Cut Filter removable
- Double windows and anti-fog design, built-in temperature control circuit and IP66. Built-in tempered glass, high-intensity aluminum alloy, hi-impact, anti-cauterization, vibration proof

# IP keyboard



## HDS-1100KI

### Network Keyboard

- 7" TFT touch screen at 800x480 resolution
- Speed dome, video decoder and DVR control
- 1-ch HD bideo stream docoding at1080P
- Support 15 users ,and each can operate up to 256 devices
- USB 2.0 interface for video backup

# keyboard



## HDS-1004KI

### RS-485 Keyboard

- Incorporate all DVR DVR menu control function
- Control DVR and PTZ separately
- Support DVR and keyboard cascading
- Setting and calling the preset, patrol, and pattern.
- Switch the TV wall display and set the TV wall layout.
- Video switch control for the analog matrix

# keyboard



## HDS-1002/1003KI

### RS-485 Keyboard

- Control PTZ separately
- Support keyboard cascading
- Setting and calling the preset, patrol, and pattern.
- 3D joystick (HDS-1003KI).

# Portable DVR



## HDS-M8102-3G/HD

### 3G portable DVR

- Mobile portable DVR with LCD monitor
- 3G video and audio transmission
- Dual cameras (front camera and mini pinhole camera)
- Support SD card, GPS, bluetooth, two-way audio communication, finger-print authentication.

# lens



## HDS-MP2712CS

### Mega-pixel Auto-Iris Lens

- 2.7~12mm Vari-focal
- IR Correction
- F1.2, CS Mount
- 1/2.7" Format

# lens



## HDS-MP0309CS

### Mega-pixel Auto-Iris Lens

- 3~9mm Vari-focal
- IR Correction
- F1.2, CS Mount
- 1/2.7" Format

## Video Wall

- LCD(liquid-crystal display) series module
- Ultra-slim bi-side seam as only 5.5/5.7/6.7mm wide between neighboring monitors
- Direct-lit backlight with uniform brightness of display unit and no boundary shadow
- Automatic color balance adjustment
- Multiple video input types: DVI, HDMI, VGA, Y/C, Y/Pb/Pr and composite video
- Multiple merging methods, 7\*24 hours continuous working, applicable for various scenes



# NAS



## HDS-S81016R

### Network Storage System

- High performance with 64 bit RISC processor
- Up to 16 HDD, each disk up to 4TB capacity
- iSCSI/NFS/CIFS/FTP/HTTP/AFP protocols
- RAID 0, 1, 3, 5, 10, 50 and HDD hotswap supported
- Dual Gigabit network interfaces
- Modularization and redundant power design for highest reliability



# TECHNOLOGY PARTNERS

## VIDEO MANAGEMENT SOFTWARE

**QNAP**

**NEOVSP**  
ONLINE VIDEO SURVEILLANCE PROVIDERS

**GVD**  
GENIUS VISION DIGITAL

**GeoVision**  
The Vision of Security

**Genetec**

**AVIGILON**  
THE BEST EVIDENCE™

**EENERGY**

**Synology**  
NEW NAS Experience

**milestone**

**HIKVISION**

**aimetis**

**NUVO**  
The Intelligent Surveillance Solution

**veracity**

**ALNET**  
SYSTEMS

**VeViTec**  
Videoüberwachung mit System.

**OnSSI**  
IP To The Core

**NOVUSUN**

**KEYKING**

**NEXT LEVEL**  
SECURITY SYSTEMS

**DYNACOLOR**  
always watching

**LuxRIOT**

**INSTEK DIGITAL**

**NICE**

**DETEC**

**virtual eye**  
A vision for your mobile lifestyle

**FOXSTREAM**  
Intelligence Video

**SeeTec**  
Software for Video Security

**MIRASYS**

**VIDEOINSIGHT**  
Enterprise Video Management

**3XLOGIC**  
Intelligent Video Surveillance

**VIGITRON**

**IPvision**  
Integrated security systems

**LENEL**  
A UTC Fire & Security Company

**CATHEXIS**

**Remote Eyes**

**UNISIGHT**

**PACOM**

**ARGOS**  
ARGOS TECHNOLOGIES

**Aventura**

**AVer**

**DigiFort**  
IP Surveillance System

**SureView**  
systems

**exacq**  
Technologies

**INDANET**  
INTELLIGENT DATA NETWORKS